


Supermicro MBD-X10DRH-C, Dual SKT, Intel C612 Chipset, SATA, LSI 3108 SAS3, 2xGbE, IPMI

Kod producenta: MBD-X10DRH-C-O



Category	Server
Form Factor	E-ATX
Dimensions	12" x 13"
CPU Socket	LGA 2011 (Socket R3)
# of CPU sockets	2
Supported CPU's	Intel Xeon E5-2600v3 Intel Xeon E5-2600v4
Chipset	Intel C612 Wellsburg
Memory Type	DDR4 ECC 3DS LRDIMM DDR4 ECC LRDIMM DDR4 ECC RDIMM
Memory Speed	2400 MHz 2133 MHz 1866 MHz 1600 MHz
# of DIMM's	16
Max Memory Size	2048 GB
Integrated GPU	Aspeed AST2400
# of PCIe x16 3.0	1
# of PCIe x8 3.0	6
# of USB Ports	2 x USB 3.0 (rear) 2 x USB 3.0 (header) 1 x USB 3.0 Type A 2 x USB 2.0 (rear) 2 x USB 2.0 (header)
# of SATA Ports	10
# of SATA DOM power	2
# of SAS Ports	8
Storage Controllers	6 x AHCI iSATA 6Gb/s 4 x sSATA 6Gb/s LSI 3108 12Gb/s
Integrated RAID	0,1,5,10
Hardware RAID	0,1,5,6,10,50,60
# of Serial Ports	1 x Fast UART 16550 (rear) 1 x Fast UART 16550 (header)
# of 1GbE Ports	2 x RJ45
Network Controllers	Intel i350 Dual Port Gigabit Ethernet
Integrated BMC	IPMI Dedicated RJ45
BMC chip	Aspeed AST2400
TPM	1 x TPM 1.2 20-pin Header

Product SKUs		Chassis (Optimized for X10DRH-C)	
MBD-X10DRH-C -O		• X10DRH-C (Retail Pack)	
Physical Stats			
Form Factor		• E-ATX	
Dimensions		• 12" x 13" (30.5cm x 33.2cm)	
Processor/Cache		Mid/Mini Tower	
CPU		Chassis:	
Cores / Cache		4U / Tower	
System Bus		Chassis:	
Note		Important Chassis Notes	
Note		SuperServer(s) with X10DRH-C	
System Memory		Model(s)	
Memory Capacity		Expansion Slots	
Memory Type		PCI-Express	
DIMM Sizes		System BIOS	
Memory Voltage		BIOS Type	
Error Detection		BIOS Features	
On-Board Devices		Management	
Chipset		Software	
AHCI SATA		Power Configurations	
SCU SATA		PC Health Monitoring	
SAS		Voltage	
IPMI		FAN	
Network Controllers		Temperature	
Video		LED	
Input / Output		Other Features	
SATA		Operating Environment	
SAS		Operating Temperature Range	
LAN		Non-Operating Temperature Range	
USB		Operating Relative Humidity Range	
Video		Non-Operating Relative Humidity Range	
Serial Port / Header			
DOM			
TPM			

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-mbd-x10drh-dual-skt-intel-c612-chipset-sata-lsi-3108-sas3-2xgbe-ipmi-p-1346.html>