

Supermicro SuperChassis SC825TQ-563LPB 2U 8xLFF FIX PSU

Kod producenta: CSE-825TQ-563LPB



Chassis Form Factor	Rack 2U
# of 3.5 hot-swap bays	8
Power Supply	Fixed
PSU Wattage	560W
PSU Certification	80+ Gold



Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs

CSE-825TQ-563LPB • SuperChassis 825TQ-563LPB (Black)

Form Factor

2U chassis support for motherboard size - 12" x 13", 13.68" x 13" E-ATX and 12" x 10" ATX

Processor Support

Supports dual, single Intel® / AMD processors

Dimensions

Height	3.5" (89mm)
Width	17.2" (437mm)
Depth	25.5" (648mm)
Gross Weight	50 lbs (22.7kg)
Available Colors	Black

Expansion Slots

- 7x low-profile full-length expansion slots

Drive Bays

	8x 3.5" SAS / SATA Hot-swap drive trays
Hot-swap	SAS or enterprise SATA HDD only recommended

SAS / SATA Backplane

1x 2U SAS / SATA backplane w/ Enclosure Management

Peripheral Drives

DVD-ROM Slim DVD-ROM drive (Optional)

Front Panel

Buttons	• Power On/Off button • System Reset button
LEDs	• Power LED • Hard drive activity LED • 2x Network activity LEDs • System Overheat LED • Power fail LED
Ports	2x USB Ports + DB9 COM Port

Motherboard (for CSE-825TQ-563LPB)

H8DG6	H8DG6-F
H8DGi	H8DGi-F
X10DRL-C	X10DRL-CT
X10DRL-i	X10DRL-iT
X10DRL-LN4	X10SRH-CF
X10SRi-F	X10SRL-F

System Cooling

Fans	3x 80mm 6300 RPM hot-swap PWM fans
------	------------------------------------

System Monitoring

Chassis intrusion switch

Operating Environment (System)

Operating Temperature Range	• 5°C ~ 35°C (41°F ~ 95°F)
Non-Operating Temperature Range	• -40°C ~ 60°C (-40°F ~ 140°F)
Operating Relative Humidity Range	• 8% ~ 90% (non-condensing)
Non-Operating Relative Humidity Range	• 5% - 95% (non-condensing)

Power Supply

560W AC power supply w/ PFC (24-pin)	
AC Voltage	• 100-240 V, 50-60 Hz, 7.5 Amp max
+5V	• 18 Amp
+5V standby	• 3 Amp
+12V	• 46 Amp @ 100-180V; 49 Amp @ 180-240V
-12V	• 0.5 Amp
+3.3V	• 15 Amp

Certification



[Gold Certified](#)

Regulatory (Power Supply)

Power Supply Safety / EMC	• USA - UL listed • Canada - CUL listed • Germany - TUV Certified • EN 60950/IEC 60950-Compliant • CB Report
---------------------------	--

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc825tq-563lpb-2u-8xlff-fix-psu-p-2187.html>