

Supermicro SuperChassis SC113MTQ-600CB 1U 8xSFF FIX PSU

Kod producenta: CSE-113MTQ-600CB



Chassis Form Factor	Rack 1U
# of 2.5 hot-swap bays	8
Power Supply	Fixed
PSU Wattage	600W
PSU Certification	80+ Platinum
Chassis Dimensions	437 x 43 x 508mm

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs

CSE-113MTQ-600CB • SuperChassis 113MTQ-600CB (Black)

Form Factor

19.98" Depth 1U Rackmount Chassis - support M-ATX (9.6" x 9.6") and ATX (12" x 10") motherboard (max MB size support: 13.68" x 10.5")

Processor Support

Supports dual, single Intel® / AMD processors

Dimensions

- Height • 1.7" (43mm)
- Width • 17.2" (437mm)
- Depth • 19.98" (508mm)
- Packaging • 24" (W) x 8.5" (H) x 30" (L)
- Weight • Net Weight: 18.5 lbs (8.4kg)
• Gross Weight: 29.5 lbs (13.4kg)
- Available Color • Black

Expansion Slots

- 1x Full-height AOC expansion slot

Drive Bays

- 8x Hot-swap 2.5" SAS/SATA HDD trays
- Hot-swap SAS or enterprise SATA HDD only recommended

SAS / SATA Backplane

1x 1U SAS / SATA backplane with SES2

Front Panel

- Buttons • Power On/Off button
• System Reset button
• UID button
- LEDs • Power status LED
• HDD activity LED
• 2x Network activity LEDs
• Universal Information (UID) LED

Motherboard (for CSE-113MTQ-600CB)

- [X9DBL-3](#) [X9DBL-3F](#)
- [X9DBL-i](#) [X9DBL-iF](#)

Server(s) for SC113MTQ-600CB

[1027B-MTF](#)

System Cooling

- Fans • 4x 40x28mm high-efficiency PWM fans
(Optional 2x fans for AOC cooling)

Operating Environment (System)

- Operating Temperature Range • 5°C ~ 35°C (41°F ~ 95°F)
- Non-Operating Temperature Range • -40°C ~ 60°C (-40°F ~ 140°F)
- Operating Relative Humidity Range • 8% ~ 90% (non-condensing)
- Non-Operating Relative Humidity Range • 5% - 95% (non-condensing)

Power Supply

- 600W High-Efficiency Power Supply w/PMBus 1.2, I²C, PFC, and Digital Switching
- AC Input • 100-240V, 50-60Hz, 7.5A max
• +3.3V: 15A
• +5V: 18A
- DC Output • +5V standby: 3A
• +12V: 49A
• -12V: 0.5A

Certification



Platinum Certified
[[Test Report](#)]

Regulatory (Power Supply)

- Power Supply Safety / EMC • USA - UL listed, FCC
• Canada - CUL listed
• CCC Certification
• EN 60950/IEC 60950-Compliant
• Europe/CE Mark
• Germany - TUV Certified

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc113mtq-600cb-1u-8xsff-fix-psu-p-2210.html>