

Supermicro SuperChassis SC825TQ-600WB 2U 8xLFF FIX PSU

Kod producenta: CSE-825TQ-600WB



Chassis Form Factor	Rack 2U
# of 3.5 hot-swap bays	8
Power Supply	Fixed
PSU Wattage	600W
PSU Certification	80+ Platinum

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs

CSE-825TQ-600WB • SuperChassis 825TQ-600WB (Black)

Form Factor

2U chassis for motherboard support size of , 12" x 10", 12" x 13", 13.68" x 13"

Processor Support

Supports dual, single Intel® / AMD processors

Dimensions

Height	3.5" (89mm)
Width	17.2" (437mm)
Depth	25.5" (647mm)
Gross Weight	52 lb (23.59 kg)
Packaging	• 26.7" (W) x 11.4"(H) 34.5" (L)
Available Color	Black

Expansion Slots

- 4 full-height & full-length expansion slot(s)
- 3 low-profile expansion slot(s)

Drive Bays

Hot-swap	8x 3.5" hot-swap SAS/SATA drive bay w/ full SES-II support on SAS motherboards SAS or enterprise SATA HDD only recommended
----------	---

SAS Backplane

1x 2U SAS backplane w/ Enclosure Management

Peripheral Drives

DVD-ROM	1x slim DVD-ROM drive bay
---------	---------------------------

Front Panel

Buttons	• Power On/Off button • System Reset Button • 2 Network Activity LEDs • Fan Fail/System Over Heat LED
LEDs	• HDD activity LED • Power Status LED • Unit Identification (UID) LED
Ports	2x USB 2.0 ports

Server(s) for SC825TQ-600WB

[6027R-TDT+](#)

System Cooling

Fans	3x 8cm (7000 RPM) hot-swap PWM cooling fan
------	--

System Monitoring

Chassis intrusion switch

Operating Environment (System)

Operating Temperature Range	• 5°C ~ 35°C (41°F ~ 95°F)
Non-Operating Temperature Range	• -40°C ~ 60°C (-40°F ~ 140°F)
Operating Relative Humidity Range	• 8% ~ 90% (non-condensing)
Non-Operating Relative Humidity Range	• 5% - 95% (non-condensing)

Power Supply

600W High-Efficiency Power Supply w/PMBus 1.2, I ² C, PFC, and Digital Switching	
AC Input	• 100-240V, 50-60Hz, 7.5A max • +3.3V: 15A • +5V: 18A
DC Output	• +5V standby: 3A • +12V: 49A • -12V: 0.5A

Certification



Platinum Certified
[[Test Report](#)]

Regulatory (Power Supply)

Power Supply Safety / EMC	• USA - UL listed • Canada - CUL listed • Germany - TUV Certified • EN 60950/IEC 60950-Compliant • CB Report • CCC Certification
---------------------------	--

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc825tq-600wb-2u-8lff-fix-psu-p-2351.html>