

Supermicro SuperChassis SC743i-665B Tower/4U 8xLFF FIX PSU

Kod producenta: CSE-743i-665B



Chassis Form Factor	Tower/4U
# of 3.5 fixed bays	8
Power Supply	Fixed
PSU Wattage	665W
PSU Certification	80+ Bronze

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs
CSE-743i-665B • SuperChassis 743i-665B (**Black**)

Form Factor
4U chassis support for max. motherboard size - 12" x 13" E-ATX

Processor Support
Supports dual, single Intel® / AMD processors

Dimensions
Width • 7.0" (178mm)
Height • 17.8" (452mm)
Depth • 25.5" (648mm)
Gross Weight • 56 lbs (25.4kg)
Available Colors • Black

Expansion Slots
7x Full-height, Full-length PCI expansion slots

Drive Bays
Drive Carrier(s) • 2x 4 Fixed Hard Drive Carrier
• SAS or enterprise SATA HDD only recommended
Peripheral Bay(s) • 2x 5.25" Peripheral Drive Bay
• 1x 5.25" Bay For optional 3.5" Drive

Front Panel
Buttons • Power On/Off button
• System Reset button
LEDs • Power LED
• Hard drive activity LED
• 2x Network activity LEDs
• System Overheat LED
• Power Fail LED
Ports • 2x USB Ports

Motherboard (for CSE-743i-665B)

[X8DTL-3](#) [X8DTL-3F](#)
[X8DTL-6](#) [X8DTL-6F](#)
[X8DTL-I](#) [X8DTL-IF](#)

System Cooling
Fans • 4 5000 RPM Hot-swap PWM Cooling Fans
• 2 5000 RPM Hot-swap Rear Exhaust Fans

System Monitoring
Chassis intrusion switch

Operating Environment (System)
Operating Temperature • 5°C ~ 35°C (41°F ~ 95°F) Range
Non-Operating Temperature • -40°C ~ 60°C (-40°F ~ 140°F) Range
Operating Relative Humidity • 8% ~ 90% (non-condensing) Range
Non-Operating Relative Humidity • 5% - 95% (non-condensing) Range

Power Supply
665W AC-DC power supply
AC Input • 100 - 240V, 50-60Hz, 10-5 Amp
+5V • 30 Amp
+5V standby • 6 Amp
+12V • 54 Amp
-12V • 0.5 Amp
+3.3V • 24 Amp

Certification 
Bronze Certified
[[Test Report](#)]

Regulatory (Power Supply)
• USA - UL listed, FCC
• Canada - CUL listed
Power Supply • Germany - TUV Certified
Safety / EMC • Europe/CE Mark
• EN 60950/IEC 60950-Compliant

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc743i-665b-tower4u-8xlff-fix-psu-p-2389.html>