

Supermicro SuperChassis SC846TQ-R1200B 4U 24xLFF RED PSU

Kod producenta: CSE-846TQ-R1200B



Chassis Form Factor	Rack 4U
# of 3.5 hot-swap bays	24
Power Supply	Redundant
PSU Wattage	1200W
PSU Certification	80+ Gold

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs

CSE-846TQ-R1200B • SuperChassis
846TQ-R1200B (**Black**)

Form Factor

4U chassis support for ATX, E-ATX, and
motherboards up to size 13.68" x 13"

Processor Support

Supports dual, single Intel® / AMD processors

Dimensions

- Height • 7" (178mm)
- Width • 17.2" (437mm)
- Depth • 26" (660mm)
- Gross Weight • 75 lbs (34.0kg)
- Available Colors • Black

Expansion Slots

7x PCI expansion slots

Drive Bays

- Hot-swap • 24x 3.5" Hot-swap SAS/SATA Drive Bays
- SAS or enterprise SATA HDD only recommended
- 2x Fixed Internal Hard Drive Bays OR
- Optional • 1x Fixed Internal Hard Drive Bay and 1x DVD-ROM Drive or Floppy Drive

Backplane

- 4U Direct Attached Backplane, features:
- 3/6 Gb support
 - SES-2 Enclosure Management Support
 - SAS/SATA support
 - 24 SATA connectors

Front Panel

- Buttons • Power On/Off button
- System Reset button
- Power LED
- Hard drive activity LED
- LEDs • 2x Network activity LEDs
- System Overheat LED
- Power Fail LED

System Cooling

- Fans • 3x 5000 RPM Hot-swap PWM Cooling Fans
- 2x 5000 RPM Hot-swap Rear Exhaust PWM Fans

System Monitoring

Chassis intrusion switch

Operating Environment (System)

- Operating Temperature Range • 5°C ~ 35°C (41°F ~ 95°F)
- Non-Operating Temperature Range • -40°C ~ 60°C (-40°F ~ 140°F)
- Operating Relative Humidity Range • 8% ~ 90% (non-condensing)
- Non-Operating Relative Humidity Range • 5% - 95% (non-condensing)

Power Supply

- Redundant 1200W high-efficiency power supply with PMBus
- 1000W Output @ 100-140V, 11.5-8A, 50-60Hz
 - 1200W Output @ 180-240V, 8-5.5A, 50-60Hz
 - DC Output • 1000W: +12V/83A; +5Vsb/4A
 - 1200W: +12V/100A; +5Vsb/4A
 - DC Output with PDB • +5V: 50 Amp
 - +3.3V: 30 Amp
 - -12V: 0.6 Amp

Certification



Gold Certified
[[Test Report](#)]

Regulatory (Power Supply)

- Power Supply Safety / EMC • USA - UL listed, FCC
- Canada - CUL listed
- Germany - TUV Certified
- Europe/CE Mark
- EN 60950/IEC 60950-Compliant

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc846tq-r1200b-4u-24xlff-red-psu-p-2418.html>