

Supermicro SuperChassis SC512F-350B 1U 2xLFF FIX PSU

Kod producenta: CSE-512F-350B



Chassis Form Factor	Rack 1U
# of 3.5 fixed bays	2
Power Supply	Fixed
PSU Wattage	350W
PSU Certification	80+ Gold

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs	Motherboard (for CSE-512F-350B)	
CSE-512F-350B • SuperChassis 512F-350B (Black)		
Form Factor	H8SCM	H8SCM-F
14.5" Mini 1U chassis support for max. motherboard size - 12" x 10" ATX	H8SGL	H8SGL-F
Processor Support	H8SML-7	H8SML-7F
Supports dual, single Intel® / AMD processors	H8SML-i	H8SML-iF
Dimensions	X10SL7-F	X10SLH-F
Height • 1.7" (43mm)	X10SLL+-F	X10SLL-F
Width • 17.2" (437mm)	X10SLM+-F	X10SLM+-LN4F
Depth • 14.5" (369mm)	X10SLM-F	X11SSH-CTF
Packaging • 22" (W) x 6.3" (H) x 20" (L)	X11SSH-F	X11SSH-LN4F
Gross Weight • 14 lbs (6.4kg)	X11SSH-TF	X11SSi-LN4F
Available Colors • Black	X11SSL	X11SSL-CF
Expansion Slot	X11SSL-F	X11SSL-nF
1x full-height half-length expansion slot (Riser Card Required)	X11SSM	X11SSM-F
Drive Bays	X11SSZ-F	X11SSZ-QF
Internal Bay • 2x 3.5" internal drive bays	X11SSZ-TLN4F	X9DBL-3
SAS or enterprise SATA HDD only recommended	X9DBL-3F	X9DBL-i
Peripheral Drives	X9DBL-iF	X9SCI-LN4
DVD-ROM • Slim DVD-ROM Drive (optional)	X9SCL	X9SCL+-F
Front Panel	X9SCL-F	X9SCM
Buttons • Power On/Off button	X9SCM-F	X9SCM-iiF
LEDs • Reset button	X9SRi	X9SRi-3F
• Power LED	X9SRi-F	
• Hard drive activity LED		
• 2x Network activity LEDs		
• System Overheat LED		
System Cooling	Server(s) for SC512F-350B	
Fans • 2x 4cm 4-pin PWM Fans	5017C-MF	5018D-MF
Operating Environment (System)	5019S-ML	
Operating Temperature Range • 5°C ~ 35°C (41°F ~ 95°F)		
Non-Operating Temperature Range • -40°C ~ 60°C (-40°F ~ 140°F)		
Operating Relative Humidity Range • 8% ~ 90% (non-condensing)		
Non-Operating Relative Humidity Range • 5% - 95% (non-condensing)		
Power Supply	350W AC power supply w/ PFC	
AC Voltage • 100-240 V, 50-60 Hz, 4.2-1.8 Amp		
+5V • 18 Amp		
+5V standby • 3 Amp		
+12V • 29 Amp		
+3.3V • 15 Amp		
Certification		
	Gold Certified	
	[Test Report]	
Regulatory (Power Supply)		
Power Supply Safety / EMC	• USA - UL listed, FCC	
	• Canada - CUL listed	
	• Germany - TUV Certified	
	• Europe/CE Mark	

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc512f-350b-1u-2xlff-fix-psu-p-2445.html>