

Supermicro SuperChassis SC512F-441B 1U 2xLFF FIX PSU

Kod producenta: CSE-512F-441B



Chassis Form Factor	Rack 1U
# of 3.5 fixed bays	2
Power Supply	Fixed
PSU Wattage	440W
PSU Certification	80+ Platinum



Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs	Motherboard (for CSE-512F-441B)	
CSE-512F-441B • SuperChassis 512F-441B (Black)		
Form Factor	H8SCM	H8SCM-F
14.5" Mini 1U chassis support for max. motherboard size - 12" x 10" ATX	H8SGL	H8SGL-F
Processor Support	H8SML-7	H8SML-7F
Supports dual, single Intel® / AMD processors	H8SML-i	H8SML-iF
Dimensions	X10SL7-F	X10SLH-F
Height • 1.7" (43mm)	X10SLL+-F	X10SLL-F
Width • 17.2" (437mm)	X10SLM+-F	X10SLM+-LN4F
Depth • 14.5" (369mm)	X10SLM-F	X11SSi-LN4F
Gross Weight • 14 lbs (6.4kg)	X9DBL-3	X9DBL-3F
Available Color • Black	X9DBL-i	X9DBL-iF
Expansion Slot	X9SCI-LN4	X9SCL
1x full-height half-length expansion slot (Riser Card Required)	X9SCL+-F	X9SCL-F
Drive Bay	X9SCM	X9SCM-F
Internal Bay • Support up to 2x 3.5" internal HDDs SAS or enterprise SATA HDD only recommended	X9SCM-iiF	X9SRi
Peripheral Drives	X9SRi-3F	X9SRi-F
DVD-ROM • Slim DVD-ROM drive (option)	System Cooling	
Front Panel	Fans • 2x 4cm 4-pin PWM Fans	
Buttons • Power On/Off button • Reset button	Operating Environment (System)	
LEDs • Power LED • Hard drive activity LED • 2x Network activity LEDs • System Overheat LED	Operating Temperature Range • 5°C ~ 35°C (41°F ~ 95°F)	
	Non-Operating Temperature Range • -40°C ~ 60°C (-40°F ~ 140°F)	
	Operating Relative Humidity Range • 8% ~ 90% (non-condensing)	
	Non-Operating Relative Humidity Range • 5% - 95% (non-condensing)	
	Power Supply	
	440W/480W High-Efficiency Power Supply w/PMBus 1.2, I2C, and PFC	
	AC Input • 100-140V, 50-60Hz, 5.5-4A • 180-240V, 50-60Hz, 3.5-2.5A • +3.3V: 15A • +5V: 18A	
	DC Output • +5V standby: 3A • +12V: 35.8A at 100-140Vac 39.1A at 180-240Vac	
	  Platinum Certified [Test Report]	
	Regulatory (Power Supply)	
	• USA - UL listed, FCC • Canada - CUL listed • Germany - TUV Certified • Europe/CE Mark • EN 60950/IEC 60950-Compliant	

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc512f-441b-1u-2xlff-fix-psu-p-2447.html>