

Supermicro SuperChassis SC512-203B 1U 1xLFF FIX PSU

Kod producenta: CSE-512-203B



Chassis Form Factor	Rack 1U
# of 3.5 fixed bays	1
Power Supply	Fixed
PSU Wattage	200W
PSU Certification	80+ Gold

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKU
CSE-512-203B • SuperChassis 512-203B (Black)

Form Factor
14" Mini 1U chassis support for max. motherboard size - 12" x 9.6" ATX

Processor Support
Supports single Intel® / AMD processor

Dimensions	
Height	1.7" (43mm)
Width	16.8" (426mm)
Depth	14.0" (356mm)
Gross Weight	12.8 lbs (5.8kg)
Available Color	Black

Expansion Slot
1x full-size half-length PCI expansion slot (Riser Card Required)

Drive Bay
Internal Bay 1x 3.5" internal drive bay
SAS or enterprise SATA HDD only recommended

Front Panel
Buttons • Power On/Off button
• System Reset button

LEDs • Power LED
• Hard drive activity LED
• 2x Network activity LEDs
• System Overheat LED

Ports • 2x Front USB 2.0 ports

Motherboard (for CSE-512-203B)

[X11SSZ-F](#) [X11SSZ-QF](#)
[X11SSZ-TLN4F](#)

System Cooling
Fans 1x 10cm 5,000 RPM blower fan

Operating Environment (System)
Operating Temperature • 5°C ~ 35°C (41°F ~ 95°F)
Range
Non-Operating Temperature • -40°C ~ 60°C (-40°F ~ 140°F)
Range
Operating Relative Humidity • 8% ~ 90% (non-condensing)
Range
Non-Operating Relative Humidity • 5% - 95% (non-condensing)
Range

Power Supply
200W Low Noise AC-DC power supply with PFC
AC Voltage • 100 - 240V, 50-60Hz, 2.6 Amp Max
+5V • 8.0 Amp (max.)
+5V standby • 2.0 Amp (max.)
+12V • 16 Amp (max.)
-12V • 0.5 Amp (max.)
+3.3V • 8.0 Amp (max.)

Certification 
Gold Certified

Regulatory (Power Supply)
Power Supply Safety / EMC • USA - UL listed, FCC
• Canada - CUL listed
• Germany - TUV Certified
• Europe/CE Mark
• EN 60950/IEC 60950-Compliant
• CCC Certified

