

Supermicro SuperChassis SC813MFTQC-350CB2 1U 4xLFF FIX PSU

Kod producenta: CSE-813MFTQC-350CB2



Chassis Form Factor	Rack 1U
# of 3.5 hot-swap bays	4
Power Supply	Fixed
PSU Wattage	350W
PSU Certification	80+ Platinum
Chassis Dimensions	437 x 43 x 503mm

Product SKUs

CSE-813MFTQC-350CB2 • SuperChassis 813MFTQC-350CB2

Form Factor

- 1U Chassis for motherboard support size: (12" x 10") (9.6" x 9.6")

Processor Support

- Dual, single Intel® / AMD processors

Dimensions

- Height - 1.7" (43 mm)
- Width - 17.2" (437 mm)
- Depth - 19.85" (503 mm)
- Gross Weight - 31 lbs (14.06 kg)
- Packaging (W x H x L) - 23.4" (594 mm) x 8.5" (216 mm) x 29.7" (754 mm)
- Available Color - Black

Expansion Slots

- 1 full height expansion slot(s)

Drive Bays

- 4 x 3.5" hot-swap SAS/SATA

Backplane

- 1U 4-Port 12Gbps Backplane Support 4x3.5" SAS3/SATA3 HDD/SSD

Peripheral Drives

- Optional 1 x Slim DVD-ROM Drive

Front Panel

- Buttons
 - Power On/Off button
 - System Reset Button
- LEDs
 - 2 Network Activity LEDs
 - HDD activity LED
 - Power Status LED
 - System Information LED

Motherboard (for CSE- 813MFTQC-350CB2)

- [X11SPi-TF](#)
- [X11SPM-TF](#)
- [X11SPM-F](#)
- [H11SSL-C](#)
- [X11SPL-F](#)
- [X11SPM-TPF](#)
- [H11SSL-NC](#)
- [H11SSL-i](#)

Systems Cooling

- Fans
 - 4 x 40x28mm PWM fan(s)
 - Optional 2 x 40x28mm PWM fan(s)

Operating Environment (System)

- Operating Temperature Range - 5°C - 35°C (41°F - 95°F)
- Non-Operating Temperature Range - -40°C - 70°C (-40°F - 158°F)
- Operating Relative Humidity Range - 8% - 90% (non-condensing)
- Non-Operating Relative Humidity Range - 5% - 95% (non-condensing)

Power Supply

- 1U 350W Multi-output power supply Platinum level
- Power Efficiency - 93%
- Total Output Power and Input - 350W with Input 100 - 240Vac
- AC Input Frequency - 50-60Hz
- Dimensions (L x W x H) - 180 x 100 x 40 mm
- Output Type
 - 24V - Max: .2A / Min: 0A
 - +12V - Max: 29A / Min: .5A (100Vac - 240Vac)
 - +5V - Max: 15A / Min: .2A
 - +3.3V - Max: 12A / Min: .2A
 - +5Vsb - Max: 3A / Min: 0A
- Certification - **Platinum Certified**

Regulatory (Power Supply)

- Power Supply Safety / EMC
 - BSMI
 - CCC
 - CE/EMC
 - FCC class B
 - TUV/CB

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc813mftqc-350cb2-1u-4xlf-fix-psu-p-3562.html>