

Supermicro SuperServer SYS-420GP-TNR 4U DP 24xSFF 2x1GbE AIOM RED PSU

Kod producenta: SYS-420GP-TNR



Category	High Performance Computing Rendering
Order option	Complete System Only
Chassis Form Factor	Rack 4U
CPU Socket	LGA 4189 (Socket P+)
# of GPU slots	10
# of CPU sockets	2
Supported CPU's	Intel Xeon Scalable 3rd Gen
Supported GPU's	NVIDIA A2 NVIDIA A10 NVIDIA A16 NVIDIA A30 NVIDIA A40 NVIDIA A100 NVIDIA H100 NVIDIA L40 NVIDIA RTX A2000 NVIDIA RTX A4000 NVIDIA RTX A4500 NVIDIA RTX A5000 NVIDIA RTX A5500 NVIDIA RTX A6000 INTEL DC GPU Flex 170
GPU-to-GPU interconnect	NVIDIA NVLink Bridge (optional)
Max CPU TDP	270 W
Chipset	Intel C621A
Memory Type	DDR4 ECC RDIMM DDR4 ECC LRDIMM
Memory Speed	3200 MHz
# of DIMM's	32
Max Memory Size	8 TB
# of 2.5 hot-swap bays	24
Backplanes	NVMeG4/SAS3/SATA3
# of PCIe x16 4.0	12
I/O expansion modules	1 x AIOM PCIe 4.0 x16
# of USB Ports	2 x USB 3.0
Storage Controllers	Intel C621A
Integrated RAID	0 1 5 10
# of M.2 22110	2
# of 1GbE Ports	2 x RJ45
Network Controllers	Intel I350
Integrated BMC	IPMI Dedicated RJ45
BMC chip	Aspeed AST2600
TPM	1 x TPM 2.0 10-pin Header
Power Supply	Redundant
PSU Wattage	2000 W
PSU Certification	80+ Titanium
Rack Rails	Included
Chassis Dimensions	178 x 437 x 737 mm

UWAGA !!!

Ze względu na wysoki stopień integracji platforma dostępna jest tylko i wyłącznie jako gotowy system wraz z CPU, RAM i HDD oraz dodatkowymi kartami rozszerzeń. Prosimy o kontakt z nami w celu przedstawienia oferty na interesującą Państwa konfigurację.

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superserver-sys-420gp-tnr-4u-dp-24xsff-2x1gbe-aiom-red-psu-p-5424.html>