#### Western Digital Ultrastar DC SN650 15.36TB 2.5" U.3 NVMe G4 1 DWPD 15mm SE WUS5EA1A1ESP5E1 / 0TS2434

Kod producenta: 0TS2434



Interfejs	NVMe G4
Technologia	3D TLC
Pojemność	15360 GB
Maks. prędkość odczytu	6600 MB/s
Maks. prędkość zapisu	2800 MB/s
IOPS 4kb random reads	970000
IOPS 4kb random writes	109000
Format	2.5" U.3 15mm
MTBF	2000000 h
Endurance	28.00 PBW
DWPD	1
Szyfrowanie	SE
Wysokość	15 mm
Gwarancja	5 lat

# High Capacity NVMe<sup>™</sup> SSD and Disaggregated Storage Architecture

As cloud and scale-out data centers have become more and more

disaggregated, storage has been able to scale independently from compute,

giving businesses elasticity during peak demands while avoiding data silos and

improving TCO.

Disaggregating storage is ideal for cloud service providers. It offers a variety of

storage services that combine to deliver a higher quality-of-service, improved

performance consistency, and higher storage utilization. For scale-out data center customers, disaggregated storage

Copyright ©2024 www.superstorage.pl | poniedziałek, 29 kwiecień 2024 Strona: 1 / 4

provides

managed service providers to efficiently increase capacity for modern

applications processing large unstructured datasets.

As workloads grow to petabytes, high capacity, cost-optimized storage SSDs

have an increasingly important role to play. The Ultrastar DC SN650 NVMe SSD

can reduce those time-to-insights.

#### PCIe <sup>®</sup> Gen 4.0

The new Ultrastar DC SN650 NVMe SSD includes the next generation

Western Digital 
© controller, PCIe Gen 4.0 interface, and Western Digital BiCS5

TLC 3D NAND.

BiCS5 TLC 3D NAND, with higher bit density per mm 2, is the next generation

of 3D NAND driving higher capacities, up to 15.36TB<sub>1</sub>. With the latest PCIe

Generation 4.0, the Ultrastar DC SN650 enables performance at scale for

increasingly larger application workloads. Designed and built for the standard

2.5" SSD storage infrastructure, it includes support for U.2 and U.3 backplanes.

### **Emerging Workloads**

The Ultrastar DC SN650 NVMe SSD is optimized for cloud and scale-out

workloads requiring higher QoS consistency, and better storage utilization for

block, object or file storage.

Emerging workloads for big data, artificial intelligence, and machine learning

are increasing in size and complexity. They are typically stored across

distributed, tiered, or disaggregated architectures. The Ultrastar DC SN650

NVMe SSD is optimized for moving these large datasets fast and servicing

multiple hosts with performance consistency, making them ideal for scaling

capacity and maximizing GB/watt for these emerging larger workloads.

### Safeguarding data

The Ultrastar DC SN650 NVMe SSD ensures that if you lose power, you don't

lose your data. The drive comes with Power Loss Protection that keeps your

data safe should you experience a sudden and unexpected interruption in

power supply. And if you ever need to decommission the drive, Secure Erase provides you with entire drive erase options.

# Reliability

The Ultrastar DC SN650 NVMe SSD is built for reliability, incorporating

enterprise-class features such as power-loss protection, 2M hour reliability

(projected) and 1 DW/D. And if that weren't enough, it also comes with a

five-year limited warranty.

### Features

• Western Digital NVMe 1.4 Compliant Controller; PCle 4.0

- Western Digital BiCS5 3D TLC NAND
- U.3 interface (U.2 backplane compatible)
- 1DW/D
- Enterprise features including:
- Power Loss Protection
- 128 Namespaces
- Full Data-Loss Protection
- End-to-End data Path Protection
- Variable Sector Sizes
- NVMe-MI 1.1b
- MTBF rating of 2 million hours (projected)
- Secure Erase (SE)
- 5-year limited warranty<sub>6</sub>

## Applications/Environments

#### Cloud datacenters

- Scale-out or Software Defined Solutions
- Big Data
- NoSQL or Distributed databases
- AI/ML Deep Learning
- Data Archiving

Strona firmowa produktu: https://www.superstorage.pl/western-digital-ultrastar-dc-sn650-1536tb-25-u3-nvme-g4-dwpd-15mm-se-w us5ea1a1esp5e1-0ts2434-p-5713.html